

# SI / CI - SINTERED IRON AND CAST IRON WHEELS

**CAPACITY FROM 125 TO 2500 LBS.**



**2- 2 1/2 - 3 in:**

- Strong sintered iron.
- Smooth tread, hard working.
- Plain bore.

**4 in:**

- Tough cast iron.
- Smooth tread, hard working



**5 thru 12 in:**

- A combination of cast iron and steel.
- Long wearing, high capacity.
- Roller bearings and zerk in hub.

## SPECIFICATIONS

WHEEL DIAMETER	WHEEL WIDTH	WHEEL COMPOSITION	BEARING TYPE	LOAD CAPACITY	BEARING BORE	HUB LENGTH	PART NUMBER
2	1	Sintered Iron	Plain	125	1/4	1 1/4	SIP-210
2 1/2	1 1/8	Sintered Iron	Plain	200	5/16	1 3/8	SIP-2510
3	3 1/4	Sintered Iron	Plain	250	3/8	1 9/16	SIP-314
4	1 1/4	Sintered Iron	Plain	300	3/8	1 11/16	SIP-414
	1 1/4	Cast Iron	Plain	300	7/16	1 11/16	CIP-414
	2	Cast Iron	Plain	700	3/4	2 3/16	CIR-420
5	2	Cast Iron	Roller	1000	3/4	2 3/16	CIR-520
6	2	Cast Iron	Roller	1200	3/4	2 3/16	CIR-620
	2 1/2		Roller	1600	1	2 3/4	CIR-625
	3		Roller	2500	1	2 1/4	CIR-630
8	2	Cast Iron	Roller	1400	3/4	2 3/16	CIR-820
	2 1/2		Roller	1600	1	2 3/4	CIR-825
	3		Roller	2500	1	3 1/4	CIR-830
10	2 1/2	Cast Iron	Roller	1800	1	2 3/4	CIR-1025
	2		Roller	2500	1	3 1/4	CIR-1030
12	2 1/2	Cast Iron	Roller	1800	1	2 3/4	CIR-1225